

AMENDED

ASSIGNED^{Nº} 54571

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office.....MAR 20 1990
Returned to applicant for correction.....MAY 21 1990
Corrected application filed.....
Map filed.....JUL 10 1990

The applicant.....Gloria Umbarger and Ben E. Matthews
.....1638 Elm Avenue....., of.....Torrance.....
.....California 90503....., hereby make.... application for permission to appropriate the public
.....State and Zip Code No......
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of members.).....

1. The source of the proposed appropriation is.....an underground source.....
.....Name of stream, lake, spring, underground or other source.....
2. The amount of water applied for is.....0.006 c.f.s......second-feet
.....One second-foot equals 448.83 gals. per min......
(a) If stored in reservoir give number of acre-feet.....
3. The water to be used for.....Quasi-Municipal purposes.....
.....Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use......
4. If use is for:
(a) Irrigation, state number of acres to be irrigated.....
(b) Stockwater, state number and kinds of animals to be watered.....
(c) Other use (describe fully under "No. 12. Remarks").....
(d) Power:
(1) Horsepower developed.....
(2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point within the SW¼ of the NE¼ of Section
.....Describe as being within a 40-acre subdivision of public
25, Township 19 South, Range 59 East, M.D.B. & M., or at a point from which the
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
Center Quarter (C¼) corner of said Section 25 bears South 74°25'09" West a distance
of 1349.32 feet.
6. Place of use.....within the SW¼ of the NE¼ of Section 25, Township 19 South, Range 59
.....Describe by legal subdivision. If on unsurveyed land, it should be so stated.
East, M.D.B. & M., approximately two and one half (2.5) acres.
7. Use will begin about.....January 1st.....and end about.....December 31st....., of each year.
.....Month and Day.....Month and Day.....
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.).....well, pump, electric motor, domestic water
.....State manner in which water is to be diverted, i.e. diversion structure, ditches and
lines from four houses to 1500 gallon water storage tank.
.....flumes, drilled well with pump and motor, etc......
9. Estimated cost of works.....\$13,000.00.....

10. Estimated time required to construct works..... five years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... seven years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The water will be used on four lots of a four lot minor subdivision.

By /s/Charles E. Cave
Charles E. Cave
1210 Hinson Street
Las Vegas, NV 89102

Compared..... bp/ap am/se.....

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.006..... cubic feet per second, ~~but not to exceed 1.42 million~~
gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... December 13, 1992

Proof of completion of work shall be filed on or before..... January 13, 1993

Application of water to beneficial use shall be made on or before..... December 13, 1995

Proof of the application of water to beneficial use shall be filed on or before..... January 13, 1996

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... MAY 09 1997 IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my
office, this..... 13th..... day of..... December.....

Cultural map filed.....

Certificate No..... Issued.....

A.D. 19..... 90.....

[Signature]
State Engineer